

CIBO+ HIGH SPEED OVEN - GREEN - THREE PHASE

MODEL: CIBO+BST/G/3



With all the benefits of CiBO+ but with increased power and output, CiBO+ Boosted delivers faster cook times, quicker recovery, and seamless handling of multiple portions of dense and frozen food.

PRODUCT OPTIONS AND ACCESSORIES

- OC01 Sparkle Cleaner
- OD01-6 Heavy Duty Cleaner
- OS01 Protect Barrier
- TFS05 Teflon Sheet
- CIBO/TT Teflon Basket
- LTH01 Paddle Hanger
- LT02 Paddle
- NSBT23 Non Stick Baking Tray
- CIBO/ET 4 Egg Tray
- SH136 Wire Rack
- CIBOPLUS/USB USB Stick
- SK05 Mobile Stacking Stand

PRODUCT FEATURES

- All the benefits of CiBO+ with increased power and higher output!
- Faster cooking for high demand, cook to order operations
- 57% increase in power over CiBO+
- 25% higher throughput for most food types
- 20% faster for toasted sandwiches
- Zero recovery time between cook cycles
- 80 recipe slots
- Perfect for cooking multi-portion frozen products
- Three phase power supply







MODEL: CIBO+BST/G/3

WEIGHTS & DIMENSIONS	
Width	395 mm
Depth	728 mm
Height	640 mm
Weight	52 kg

SHIPPING DETAILS	
Ship Width	50 cm
Ship Depth	84 cm
Ship Height	87.5 cm
Ship Weight	65 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product (official program participant)	No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type (OLD)	Electricity
Primary Energy Type (NEW)	Electric
Electrical Amps Per Conductor	L1=8; L2=7; L3=5
Electrical Total Amperage (NEW)	20 A
Electrical Voltage (OLD)	400
Electrical Volts (NEW)	400V
Electrical Watts (OLD)	4700
Electrical Total Wattage (NEW)	4700 W
Kilowatts (OLD)	4.7 kW

Electrical Kilowatts (NEW)	4.7 kW
Electrical Phase (OLD)	Three
Electrical Phase (NEW)	3-Phase
Electrical Plug Type	16A Commando Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1_
Dedicated Circuit Required	Yes
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS	
Bottom Cooking Chamber Cooking Method	Neo Ceram Heated Base
Cooking Area Plate Depth	340 mm
Cooking Area Plate Width	340 mm
Cooking Chamber Depth	340 mm
Cooking Chamber Height	195 mm
Cooking Chamber Width	340 mm
Gastronorm Capacity	1 x GN2/3
Heated Base	Yes
Microwave Power	1000 kW

Middle Cooking Chamber Cooking Method	Microwave
Oven Power Rating	2 kW
Oven Size (volume)	23
Oven Temperature Maximum	280 °C
Oven Temperature Minimum	30 °C
Pizza Sizes Accommodated	1 x 12"
Temperature Maximum	280 °C
Temperature Minimum	30 °C
Top Cooking Chamber Cooking Method	Convection

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated April 16, 2024







MODEL: CIBO+BST/G/3


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated April 16, 2024

